

Self-care of the elderly with cancer in the community

Belkis Alvarez Escobar ^{1,*}, Juan Carlos Mirabal Requena ² and C José Alejandro Concepción Pacheco ³

¹ *Satisfactory Longevity, Comprehensive General Medicine, University of Medical Sciences, School of Medicine Dr. Faustino Pérez Hernández. Methodological Department. Sancti Spíritus. Cuba.*

² *Natural Medicine and Bioenergetics, Comprehensive General Medicine, Physical Medicine and Rehabilitation, University of Medical Sciences. Provincial Directorate of Health. Sancti Spíritus. Cuba.*

³ *Pedagogical Sciences, Language, University of Medical Sciences, Sancti Spíritus. Cuba.*

World Journal of Advanced Research and Reviews, 2023, 17(01), 527–530

Publication history: Received on 11 November 2022; revised on 20 December 2022; accepted on 23 December 2022

Article DOI: <https://doi.org/10.30574/wjarr.2023.17.1.1408>

Abstract

Self-care is an activity learned by individuals, oriented towards a goal. Cancer is one of the non-communicable chronic diseases that most affects the general population. Colon Cancer is identified as a problem of great magnitude for health systems. It is the third most common cancer in men and the second in women. Multiple predisposing factors are invoked as possible for its development. Aging is usually accompanied by an increase in the burden of chronic diseases, including Colon Cancer. The instruction to this population group aimed at adequate self-care through specific ways, with a coherent and systemic nature, which will form part of the doctor's work system in the community, is considered pertinent. A reconceptualization of self-care is necessary, specifically on the Self-care of the elderly with Colorectal Cancer in the community, so that the community doctor can incorporate into his work system the need to educate the elderly with Colorectal Cancer

Keywords: Self-care; Colon Cancer; Elderly; Community; Instruction.

1. Introduction

The world population is becoming increasingly aged given the advances made in the health sector. This population aging brings with it an increase in non-communicable diseases where cancer is well identified. Multiple causes are invoked in the development of cancer disease, including poor hygiene and dietary habits, mainly in colorectal cancer. Getting the elderly in the community to achieve the necessary knowledge to achieve changes in their lifestyle is a priority for the community doctor.

Self-care is very important in every patient, it has cultural elements that vary with individuals and large social groups, it is an intentional and directed action, it implies the use of material resources and the expenditure of energy. It is likewise intellectualized as a deliberately executed human regulatory function with a certain degree of complexity and effectiveness. ⁽¹⁾

Reconceptualizing the self-care of the elderly with colorectal cancer in the community, from the point of view of the community doctor, will help guide the work of these professionals to achieve a better quality of life in these patients.

2. Dear Editor

Since the emergence of man, he has had to take care of multiple factors that attack him. Personal care has been present at all times, only not everyone takes it in the best way.

* Corresponding author: Belkis Alvarez Escobar ORCID: <https://orcid.org/0000-0002-8701-9075>

Self-care is made up of two words: “auto” from the Greek auto, for oneself, and “care” from the Latin cogitatus, thought. This combination is what it would be: self-care. ⁽²⁾

In 1969 Dorothea E. Orem, ⁽³⁾ developed her Theory of the self-care deficit, which in turn includes three theories: Theory of self-care, Theory of the self-care deficit and the Theory of Nursing systems. He defined self-care as: an activity learned by individuals, oriented towards an objective. It is a conduct that exists in concrete situations of life, directed by people towards themselves, towards others or towards the environment; to regulate the factors that affect their own development and functioning for the benefit of their life, health or well-being. ⁽⁴⁾

Cancer is one of the non-communicable chronic diseases that most affects the general population. Colon Cancer (CRC) is one of the most representative, ^(5,6) it is identified as a problem of great magnitude for health systems, due to its high morbidity-mortality. It is the third most common cancer in men (10%) and the second in women (9.2%). It corresponds to the fifth cause of death due to malignant neoplasms. ^(7,8,9) Multiple predisposing factors are invoked as possible for its development. ^(10,11,12)

The population of older adults in the world is expected to have accelerated growth in the coming years, estimated at 2.3% by 2030. ^(13,14,15) Aging is usually accompanied by an increase in the burden of chronic diseases, including CRC. ^(16,17) Older adults with this diagnosis seek to adapt to the situation of the disease, which is why they carry out actions aimed at promoting this process, which imply recognizing the barriers that interfere with self-care actions. ⁽¹⁸⁾

The authors, during the review of the bibliography at their disposal, could not find elements that address the self-care of older adults with CRC from the perspective of the doctor in the First Level of Care (PNA). In the opinion of the authors of the present, the instruction to this population group aimed at adequate self-care through specific ways, with a coherent and systemic nature, which will form part of the doctor's work system in the community, is considered pertinent.

Faced with this problem, a consensus is reached on the need for a reconceptualization of self-care, specifically on Self-care of the elderly with CRC in the community: actions, activities, time, place, participants and measurement criteria with a coherent and systemic nature, aimed at the instruction by the doctor in the PNA to the adult patient with CRC so that he learns and achieves his self-care, regulates the factors that affect his own development and the functioning of his life, health or well-being, favoring the relationship of the elderly with the doctor, family and community.

From this reconceptualization, the doctor in the community must incorporate into his work system the need to instruct the elderly with CRC, through actions and activities that favor the change of improvements in the patient's health status with self-care. effective. It constitutes a challenge for the PNA to achieve a better well-being in the population that is in situations of vulnerability, achieving a biopsychosocial and spiritual improvement of its patients.

3. Conclusion

Self-care of the elderly with CRC in the community was reconceptualized to respond to the existing theoretical gap in this regard, from which self-care educational strategies can be implemented for these patients. The community doctor will have new challenges in carrying out actions and activities aimed at promoting the learning of older adults with CRC towards better self-care.

Compliance with ethical standards

Author's contribution

Alvarez Escobar B. and Mirabal Requena JC. : Conception or design of the work. Data collection. Data analysis and interpretation. Drafting the article. Final approval of the version to be published.

Pacheco Concepcion JA. : Data analysis and interpretation. Critical revision of the article. Final approval of the version to be published.

Disclosure of conflict of interest

The authors declare that there are no conflicts of interest.

References

- [1] Rojas Gallo A, Pérez Pimentel S, Lluch Bonet A, Cabrera Adán M. Management of nursing care in the theory of self-care deficit. *Rev Cubana Enfermer* [Internet]. 2009 Dic [citado 12 de Julio 2022]; 25 (3-4). Disponible en: http://scielo.sld.cu/scielo.php?script=sci_arttext&pid=S086403192009000200002&lng=es.
- [2] UNAB portal. Personal self care. Andrés Bello Chile University [Internet]. 2019 [cited Nov. 12, 2022]. Available in: <https://unabonline.cl/que-es-el-autocuidado/>
- [3] Bavaresco M, Gonçalves Manfredini GM, de Paiva Santos R, RodriguesResck ZM, Coelho LeiteFava SM, RezendeDázio EM. Applicability of Orem's theory in the self-care of people with intestinal ostomy: a reflective study. *Culture of Care*[Internet].2020 [cited Nov. 12, 2022]; 24(57). p 307-317.Available at: <http://dx.doi.org/10.14198/cuid.2020.57.21>
- [4] Marcos Espino MP, Tizón Bouza E. Application of the Dorothea Orem model to a case of a person with neoplastic pain. *Gerokomos* [Internet]. 2013 [cited Nov. 12, 2022]; 24(4). Available in: <http://dx.doi.org/10.4321/S1134-928X2013000400005>
- [5] Más Páez JA, Piñol Jiménez FN. Large intestine, embryology, anatomy, histology and physiology of the colon. In: Paniagua Estévez ME, Piñol Jiménez FN, editors. *Clinical Gastroenterology and Hepatology*. 2da ed. La Habana: Ecimed. 2016[cited Nov. 12, 2022]; p. 1469-476.
- [6] Rodríguez Fernández Z, Jean-Louis B, Casaus Prieto A, Pineda Chacón J, Joubert Álvarez G. Some specificities regarding the diagnosis of recurrent colon cancer. *MEDI-SAN* [Internet]. Feb 2015 [cited 2022 Nov 12]; 19(2): [approx. 10 p.]. Available in: <https://scielo.sldcu/scielo.php?script=sciarttext&pid=S1029-30192015000200004&lng=es>
- [7] Rodríguez Fernández Z, Jean-Louis B, Ca-saus Prieto A, Joubert Álvarez G, Carulla Diez BM. Factors associated with the survival of patients with recurrent colon cancer. *ME-DISAN* [Internet]. Oct 2014 [cited 2022 Nov 12]; 8(10): [approx. 9 p.]. Available in: http://scielo.sld.cu/scielo.php?script=sci_arttext&pid=S1029-30192014001000008&lng=es
- [8] González González DA, Tarigo N. Sigmoid colon cancer as content of a left inguinal hernia. *Rev. MédUrug* [Internet]. 2017 [cited Nov. 12, 2022]; 33(3): [approx. 10 p.].Available at: <http://www.scielo.edu.uy/pdf/rmu/v33n3/1688-0390-rmu-33-03-00115.pdf>
- [9] Ramírez R MA, Fluxá G F. Endoscopic treatment of colon cancer: review of the literature. *Gastroenterol Latinoam* [Internet]. 2014 [cited Nov. 12, 2022]; 25(Suppl1): [approx. 45 p.]. Available in: <http://gastrolat.org/DOI/PDF/10.0716/gastrolat2014s100011.pdf>
- [10] Agudelo L, Isaza-Restrepo A, Figueroa C, Monroy A, Padrón Jo, Villaveces M. Experience in the management of colorectal cancer at Méderi-Hospital Universitario Mayor, 2012-2014. *RevColombCir* [Internet]. Dec 2017 [cited Nov. 12, 2022]; 32(4): [approx. 7 p.]. Available in: http://www.scielo.org.co/scielo.php?script=sci_arttext&pid=S2011-75822017000400004&lng=en
- [11] Dominguez Gonzalez EJ. Predictors of mortality in mechanical intestinal occlusion due to colon cancer. *Rev Cubana Cir* [Internet]. 2016 Dec [cited 12 Nov. 2022]; 55(4): [approx. 7 p.]. Available in: http://scielo.sld.cu/scielo.php?script=sci_arttext&pid=S0034-74932016000400003&lng=es
- [12] Rodríguez Fernández Z, Jean-Louis B, Casaus Prieto A, Joubert Álvarez G, Carulla Diez BM. Factors associated with the survival of patients with recurrent colon cancer. *MEDISAN* [Internet]. Oct 2014 [cited 2022 Nov 12]; 8(10): [approx. 9 p.]. Available in: http://scielo.sld.cu/scielo.php?script=sci_arttext&pid=S1029-30192014001000008&lng=es
- [13] Llanes Betancourt C. Demographic aging and the need to develop professional skills in geriatric nursing. *Rev Habanera de Ciencias Médicas* [Internet]. 2015 [cited Nov. 12, 2022]; 14(1):89-96. Available in: <http://scielo.sld.cu/pdf/rhcm/v14n1/rhcm13115.pdf>.
- [14] González Rodríguez R, Cardentey García J. Social aging: present and future. *Electronic Medicine Center* [Internet]. 2016 Sep [cited 12 Nov. 2022]; 20(3): 241-242. Available in: http://scielo.sld.cu/scielo.php?script=sci_arttext&pid=S1029-30432016000300015&lng=es.
- [15] Campo Torregroza EL, Laguado Jaimes E, Martín Carbonell M, Camargo Hernández Kd. Cognitive functioning, autonomy and independence of the institutionalized older adult. *Rev Cubana Enferm* [Internet]. 2019 [cited Nov. 12, 2022]; 34(4): [approx. 0 p.]. Available in: <http://www.revenfermeria.sld.cu/index.php/enf/article/view/1640>

- [16] Amaro Cano MC. Population aging in Cuba, from the prism of social epidemiology and ethics. *Annals Magazine of the Cuban Academy of Sciences* [Internet]. 2017 [cited Nov. 12, 2022]; 6 (2): [approx. 24 p.]. Available in: <http://www.revistaccuba.cu/index.php/revacc/article/view/340>
- [17] Quintana Mugica R, Torres Martínez BL, Cruz Peña A. Population aging, a challenge for primary health care. *Acta Méd Centro* [Internet]. 2015 [cited Nov. 12, 2022]; 9(4): [approx. 2 P.]. Available in: <http://www.revactamedicacentro.sld.cu/index.php/amc/article/view/306>
- [18] Rivas Espinosa G, Feliciano León A, Verde Flota E, Aguilera Rivera M, Cruz Rojas L, Correa Argueta E et al. Self-perception of self-care skills for the prevention of chronic non-communicable diseases in university students. *Enfermuniv* [Internet]. 2019 Mar [cited 12 Nov. 2022]; 16(1): 4-14. Available in: http://www.scielo.org.mx/scielo.php?script=sci_arttext&pid=S1665-70632019000100004&lng=es.http://dx.doi.org/10.22201/eneo.23958421e.2019.1.575.