


eISSN: 2581-9615 CODEN (USA): WJARAI Cross Ref DOI: 10.30574/wjarr Journal homepage: https://wjarr.com/

	WJARR	HISSN 2581-8615 CODEN (UBA): WUARAI
	W	JARR
	World Journal of Advanced	
	Research and Reviews	
	Reviews	
		World Journal Series INDIA
Check for updates		

(REVIEW ARTICLE)



Goutam Kumar Mahato ¹, Shyam Sundar Das ² and Pradipta Muduli ^{1,*}

¹ Department of Mathematics, Centurion University of Technology and Management, Odisha 752050, India. ² Prananath Autonomous College, Khordha, Odisha, India.

World Journal of Advanced Research and Reviews, 2024, 21(01), 457-461

Publication history: Received on 15 November 2023; revised on 25 December 2023; accepted on 27 December 2023

Article DOI: https://doi.org/10.30574/wjarr.2024.21.1.2645

Abstract

The present paper aims to provide a varied and wide range of recent advancement in fluid flow and heat transfer in different flow geometries considering the effects of different flow parameters. Several parameters like "magnetic field (applied as well as induced), porosity of the surface as well as medium, heat source/sink, radiation, absorption, free/forced convection, chemical reactions etc." have their impact on the flow. These fluid flow problems have their applications in many engineering as well as astrophysical and geophysical problems of interests. Present study may provide the readers a brief idea about the fluid flow and heat transfer problems.

Keywords: Fluid flow; Heat transfer; Stretching/shrinking sheet; Heat source/sink; Analytical/numerical techniques.

1. Introduction

Seth et al. [1] have discussed the effects of hall current and rotation on steady MHD Couette flow of Class-II of a viscous, incompressible and electrically conducting fluid in the presence of a uniform transverse magnetic field. Here also derived some expressions for shear stress at the lower and upper plates due to primary and secondary flows and mass flow rates in the primary and secondary flow directions. Seth et al. [2] have investigated the unsteady hydromagnetic Couette flow of a viscous, incompressible and electrically conducting fluid between two infinitely long parallel porous plates, taking hall current into account, in the presence of a transverse magnetic field. Seth at al. They have concluded that the Hall current tends to retard fluid flow in the primary flow direction throughout the channel and fluid flow in the secondary flow direction in the upper half of the channel. Magnetic field tends to accelerate fluid flow in both the primary and secondary flow directions. Seth et al. [3] examined the effects of hall current and rotation on combined free and forced convection Couette-Hartmann flow of a viscous, incompressible and electrically conducting fluid in the presence of a uniform transverse magnetic. They have concluded that hall current and rotation tend to enhance fluid temperature, magnetic field tends to reduce fluid temperature, thermal buoyancy force tends to reduce fluid temperature when the walls of the channel are heated and it has reverse effect on fluid temperature when the walls of the channel are cooled. Thermal diffusion tends to reduce fluid temperature whereas viscous dissipation has reverse effect on it. Magnetic field and rotation tend to enhance both the primary and secondary shear stress at the moving plate. Seth et al. [4] examined numerical solution of unsteady MHD natural convection flow of a viscous, incompressible, electrically conducting and heat absorbing fluid past an impulsively moving vertical plate with ramped temperature embedded in a porous medium in the presence of thermal diffusion is carried out. They conclude that magnetic field and heat absorption tend to retard fluid velocity whereas thermal buoyancy force and thermal diffusion have reverse effect on it and thermal diffusion tends to enhance fluid temperature whereas heat absorption has a reverse effect on it. Seth et al. [5] examined the unsteady MHD Couette flow of a viscous, incompressible and electrically conducting fluid between two parallel porous plates, taking Hall current into account, in the presence of a transverse magnetic field. They have concluded that fluid flow within the channel is induced due to accelerated movement of the lower plate of the channel and magnetic field is assumed to be fixed relative to the moving plate. Hall current tends to retard fluid flow

^{*} Corresponding author: Pradipta Muduli.

Copyright © 2024 Author(s) retain the copyright of this article. This article is published under the terms of the Creative Commons Attribution Liscense 4.0.

in primary flow direction whereas it tends to accelerate fluid flow in secondary flow direction in the region near the stationary plate, also hall current tends to enhance primary shear stress at the moving plate whereas magnetic field has a reverse effect on it. Samantara et al. [6] have studied flow and heat transfer in a laminar plane wall jet in dusty fluid. They have used perturbation methods to solve the systems of differential equations and have observed that Nusselt number always increases with the increase of the parameters like, diffusion parameter, size of the particles and concluded that heat always transform from fluid to plate in all the cases. Jena et al. [7] scrutinized the steady boundary layer MHD stagnation-point flow past a stretching sheet through porous media with heat source /sink. They conclude that the existence of magnetic field produces a Lorentz force of electromagnetic origin, which is a drag force, hence the velocity decreases. The effects of thermal stratification, thermal radiation, applied electric and magnetic fields, Joules heating and viscous dissipation are numerically studied on a boundary layer flow of electrical conducting nanofluid over a nonlinearly stretching sheet. Samantara et al. [8] have studied the impact of electrification of suspended particles in a fluid flow and heat transfer. It is concluded that electrification of particles reduces the numerical value of velocity of fluid and temperature of fluid and particles. So, it reduces heat transfer and skin friction. Further the increase of Prandtl number (Pr) results in the decrease in temperature distribution. In the presence of thermal stratification, the impact of thermal radiation and Joule heating due to the magnetohydrodynamic (MHD) flow of nanofluid against a nonlinearly stretching sheet with variable thickness are investigated by Pattnaik et al. [9]. Heat radiating, electrically conducting, incompressible, steady flow of a viscous and chemically reacting nano-fluid past a stretching sheet, with melting, in the presence of an applied transverse magnetic field, examined by Mahato et al. [10]. Samantara [11] have gone through the generation of electricity due to hitting of particles with each other and with the wall of the flow and its impact on motion of flow particles. The systems of equations representing the flow are solved by finite difference method. It concludes from outcome of computation that the particle velocity rises with rise of electricity generation and increasing size of particles. Ray et al. [12] have overdone the flow and heat transfer of dusty flow over a linear stretchable sheet. The effects of radiation and non-uniform heat source or sink have been studied. The formulation consists of systems of nonlinear PDEs which has been converted to a system of ODEs by taking suitable similarity transformations. Then the systems of ODEs have been solved by using Runga kutta method of 4th order. It is concluded that the presence of particles in fluid has some impact on different parameters in flow and heat transfer. The parameters like Eckert number, Fluid- particle interaction parameter, diffusivity parameter have remarkable effects of presence of particles. The impact of dissipative heat energy on the passage of an electrically conducting viscous fluid past a shrinking sheet is examined. They conclude that a higher suction is required to resist the fluid temperature and sinks as well as the dissipative heat energy favors enhancing the fluid temperature at all points in the flow domain by Acharya et al. [13]. Pattnaik et al. [14] have considered (MHD) Nano-fluid flow (over a stretching permeable surface (using Buongiorno's Model)) where various parameters effects discussed. Mahato et al. [15] have considered MHD flow and heat transfer of nanofluid over a stretchable surface with melting, where chemical reaction effects discussed. Such nanofluid flows find applications in heat transfer processes, pharmaceutical processes, domestic refrigerators, heat exchanger, engine cooling, vehicle thermal management etc. Mahatha et al. [16] have considered MHD stagnation point nano-fluid flow (Over a stretchable melting surface) where radiation and dissipative effects examined. They concluded that velocity of nanofluid increased by radiation, velocity ratio parameter and magnetic field and decreased by thermal diffusion, thermophoretic diffusion, Brownian diffusion, viscous dissipation and melting of the sheet. Das et al. [17] have gone through the radiation effects on the unsteady MHD free convection flow past in an infinite vertical plate with heat source. The governing equations are solved for the velocity field & temperature by using perturbation technique in terms of dimensionless parameters. Bhukta et al. [18] was carried out analytical evaluation of energy dissipations, such as viscous, Joulian, and Darcy dissipation of viscoelastic flow phenomena over a deformable surface. The results serve as a guideline due to the process of transport properties as per the design requirement. Pattnaik et al. [19] developed a non-Newtonian model by examine the flow of Newtonian Casson fluid over an expanding cylinder embedded in a porous medium which operate the combination of dissipative heat and the extra heat source that lift the heat transport phenomenon. They discover that the magnetic restriction and permeability enhance the shear rate coefficient, while the Casson parameter provided the contrasting influence and moreover the non-Newtonian Casson parameter hold up the fluid temperature. Jena et al. [20] enlarged a mathematical model and a survey made for flow of Casson fluid a non-Newtonian model over a cylinder in a porous medium. They conclude that Casson fluid parameter improved cutis friction coefficient yet slow up momentum and temperature distributions also Nusselt number. Aldabesh et al. [21] examined the free convection of a viscous electrically conducting fluid past a vertical stretching surface in the presence of a transverse magnetic field. The approximate analytical approach for the study of the steady two-dimensional flow of viscous fluid in the presence of the magnetic field is analyzed in the present investigation. Mahatha et al. [22] have considered MHD stagnation point nanofluid flow over a stretchable melting surface where thermal radiation, chemical reaction, viscous and Joule dissipative effects discussed. Various type of heat transfer processes, heat exchangers, engine cooling, vehicle thermal management etc. are the applications of these nano-fluid flows. Mishra et al. [23] have studied an analysis on flow and heat transfer with in a two-dimensional unsteady radiative boundary layer with fluid-particle interaction. The impacts of various parameters on the flow field have been discussed and determined the heat transfer characteristics. The stronger electric filed significantly enhances the temperature of both fluid and particle phase, which occurs more heat

transfer on the surface. Tripathy et al. [24] have analyzed flow and heat transfer mixed convective boundary layer particle laden flow past an exponentially stretchable permeable surface. The flow was originated due to the surface stretched exponentially. A two-phase radiative transfer equation (RTE), considering radiation by both fluid and particle phase is considered for formulation of the problem. The heat transfer is significantly influenced with the combined effect of thermal conductivity, buoyancy force and radiation by both fluid and particle phases. Kanungo et al. [25] have gone through a parametric study to investigate the impact of electrification and radiation inside a thermal particulate boundary layer, where the flow is due to an unsteady stretching sheet in presence of non-uniform heat source/sink.it is concluded that the presence of particles in fluid has greater impacts on flow and heat transfer profiles. Recently, Mahato et al. [26] studied "Radiative and Convective Heat Transfer on MHD Stagnation point Nanofluid Flow past a Stretchable Surface with Melting". Mishra et al. [27] have gone through the flow and heat transfer of dusty flow over a linear stretchable sheet has been analyzed. The effects of radiation and non-uniform heat source or sink it is concluded that the presence of particles in fluid has some impact of different parameters in flow and heat transfer. The parameters like Eckert number. Fluid- particle interaction parameter, diffusivity parameter have remarkable effects of presence of particles. Kanungo et al. [28] have studied particle laden boundary layer flow with existence of electrification of particles has been studied over an inclined permeable stretching sheet. it was concluded that the presence of particles in fluid has greater impacts on flow and heat transfer profiles. Recently, many researchers [29-31] have done extensive study on literature survey.

2. Conclusion

A concise literature review on "Fluid flow and heat transfer in different flow geometries considering the effects of different flow parameters" has been carried out. Some of the conclusions are summarized below:

- "Applied magnetic field has significant effect on the fluid velocity and fluid temperature in most of the problems studied".
- "Temperature profiles are largely affected by different parameters like, convection (free and forced), radiation, Grashof number, Prandtl number etc".

Compliance with ethical standards

Disclosure of conflict of interest

There is no conflict of interest among the authors.

References

- [1] Seth GS, Mahato GK and Singh JK. Effects of Hall current and rotation on MHD Couette flow of class-II. Journal of International Academy of Physical Sciences. 2011; 15 (5) Special Issue-1: 213-230.
- [2] Seth GS, Singh JK and Mahato GK. Unsteady hydromagnetic Couette flow within a porous channel with Hall effects. International Journal of Engineering. Science and Technology. 2011; 3 (6): 172-183. DOI: 10.4314/ijest.v3i6.14
- [3] Seth GS, Mahato GK and Singh JK. Combined Free and Forced Convection Couette-Hartmann Flow in a Rotating System with Hall Effects. Journal of Nature Science and Sustainable Technology. 2012; 6 (3): 125-150.
- [4] Seth GS, Sarkar S and Mahato GK. Numerical solution of unsteady hydromagnetic natural convection flow of heat absorbing fluid past an impulsively moving vertical plate with ramped temperature. International Journal of Applied Mathematical Research. 2013; 2 (2): 317-324. DOI: https://doi.org/10.14419/ijamr.v2i2.939
- [5] Seth GS, Singh JK and Mahato GK. Hall effects on unsteady magnetohydrodynamic Couette flow within a porous channel due to accelerated movement of one of its plates. Journal of Nature Science and Sustainable Technology. 2013; 7 (3): 271-290.
- [6] Samantara TN, Mishra SK and Panda TC. Flow and heat transfer in a laminar two-phase plane wall jet. Int. J. Eng. Trends Technol. 2013; 4 (8): 3434-3447.
- [7] Jena S and Mishra SR. MHD stagnation-point flow past a stretching sheet through porous media with heat source/sink. International Journals of Engineering, Science & Mathematics. 2017; 6(8).

- [8] Samantara T, Mishra SK and Panda TC. Numerical modeling of two phase jet flow and heat transfer with charged suspended particulate matter (SPM), Modelling. Measurement and Control B. 2017; 86(4): 885–906. DOI: 10.18280/mmc_b.860405
- [9] Pattnaik PK, Jena S and Mishra N. Effects of thermal stratification on MHD radiative nanofluid flow over nonlinear stretching sheet. EPRA International Journal of Research and Development. 2018; 3(11): 142-155.
- [10] Mahato GK, Mahatha BK and Samal S. Melting Heat Transfer on Magneto- hydrodynamic (MHD) Flow of a Heat Radiating and Chemically Reacting Nano-Fluid past a Stretchable Surface. JP Journal of Heat and Mass Transfer. 2019; 17 (2): 379-398. DOI: http://dx.doi.org/10.17654/HM017020379
- [11] Samantara T. Velocity profile of fluid particle suspension over a horizontal plate with electrification of particles. International Journal of Innovative Technology and Exploring Engineering, 2019; 8(11): 1119–1122. DOI: 10.35940/ijitee.J1220.0981119
- [12] Ray S, Samantara T and Siddique M. Study of effects of radiation on heat transfer of two phase boundary layer flow over a stretching sheet. International Journal on Emerging Technologies. 2019; 10 (2b): 203-207.
- [13] Acharya S, Nayak B, Mishra SR and Jena S. Adomian decomposition method for the MHD flow of a viscous fluid with the influence of dissipative heat energy. Heat Transfer. 2020; 47(8): 4612-4625.
- [14] Pattnaik PK, Jena S, Mishra N and Lenka S. Using Buongiorno's model Buoyancy effect on nano-fluid flow induced by a stretching permeable surface. TEST Eng Manag. 2020; 83: 14365-14370.
- [15] Mahato GK, Mahatha BK, Nandkeolyar R and Patra B. The effects of chemical reaction on magnetohydrodynamic flow and heat transfer of a nanofluid past a stretchable surface with melting. AIP Conference Proceedings. 2020; 2253 (1), 020011-1–020011-13. DOI: https://doi.org/10.1063/5.0019205, ISBN: 978-0-7354-2012-0
- [16] Mahatha BK, Mahato GK, Gifty GP and Padhi SB. Radiation and Dissipative Effects on MHD Stagnation Point Nano-Fluid Flow past a Stretchable Melting Surface. TEST Engineering & Management. 2020; 83: 14107 – 14117.
- [17] Das T, Samantara T and Sahu SK. Radiation Effects on the Unsteady MHD Free Convection Flow Past in an Infinite Vertical Plate with Heat Source. International Journal of Mathematical and Computational Sciences. 2020; 14 (6): 61-66.
- [18] Bhukta D, Dash GC, Mishra SR and Jena S. Analytical estimation of energy dissipations: Viscous, Joulian, and Darcy of viscoelastic fluid flow phenomena over a deformable surface. Heat Transfer. 2021; 50 (8): 7798-7816.
- [19] Pattnaik PK, Mishra S and Jena S. Dissipative heat for the Casson fluid flow past an expanding cylindrical surface. Heat Transfer. 2022; 51(3): 2476-2487.
- [20] Jena S, Mishra SR, Aghaeiboorkheili ., Pattnaik PK and Muduli K. Impact of Newtonian heating on the conducting Casson fluid flow past a stretching cylinder. Journal of Interdisciplinary Mathematics. 2022; 25(8): 2401-2416.
- [21] Aldabesh AD, Pattnaik PK, Jena S, Mishra SR, Henda M and Tlili I. Free convection of a viscous electrically conducting fluid past a stretching surface. Fluid Dynamics & Materials Processing. 2022; 18 (2): 205-222.
- [22] Mahatha BK, Padhi SB, Mahato GK and Ram S. Radiation, chemical reaction and dissipative effects on MHD stagnation point nano-fluid flow past a stretchable melting surface. AIP Conference Proceedings. 2022; 2435 (1), 020040-1–020040-19. DOI: https://doi.org/10.1063/5.0083933, ISBN: 978-0-7354-4177-4
- [23] Mishra J and Samantara T. Study of Unsteady Two Phase Flow over An Inclined Permeable Stretching Sheet with Effects of Electrification and Radiation. Journal of Advanced Research in Fluid Mechanics and Thermal Sciences. 2022; 97(2): 26–38. DOI: https://doi.org/10.37934/arfmts.97.2.2638
- [24] Tripathy PK, Samantara T, Mishra J and Panda S. Mixed convective radiative heat transfer in a particle-laden boundary layer fluid over an exponentially stretching permeable surface. AIP Conference Proceedings. 2022; 2435: 020030. DOI: https://doi.org/10.1063/5.0083840
- [25] Kanungo S and Samantara T. Numerical Solution of Two-Phase Radiated Unsteady Flow Over a Horizontal Stretching Sheet with Simultaneous Effect of Electrification, Radiation and Non-Uniform Internal Heat Source/Sink. Journal of Advanced Research in Fluid Mechanics and Thermal Sciences. 2022; 100 (3): 11-22. DOI: https://doi.org/10.37934/arfmts.100.3.1122
- [26] Mahato GK, Mahatha BK, Ram S and Padhi SB. Radiative and Convective Heat Transfer on MHD Stagnation point Nanofluid Flow past a Stretchable Surface with Melting. AIP Conference Proceedings. 2022; 2435 (1): 020037-1–020037-19. DOI: https://doi.org/10.1063/5.0083936, ISBN: 978-0-7354-4177-4.

- [27] Mishra J and Samantara T. Effect of Radiation and Non-Uniform Heat Source/Sink on Flow over a Linear Stretching Sheet with Fluid Particle Suspension. CFD Letters. 2023; 15 (6): 42-53. DOI: https://doi.org/10.37934/cfdl.15.6.4253
- [28] Kanungo S and Samantara T. Flow And Heat Transfer of Unsteady Two-Phase Boundary Layer Flow Past an Inclined Permeable Stretching Sheet with Electrification of Particles. CFD Letters. 2023; 15 (5): 134-144. DOI: https://doi.org/10.37934/cfdl.15.5.134144
- [29] Gifty GP, and Mahato GK, Nano-Fluid Flow with Heat and Mass Transfer and its Affecting Factors: A Brief Review, Shodh Sanchar Bulletin, 2020; 10 (40): 21-26.
- [30] Padhi SB, Ram S and Mahato GK, Review of the Recent Advances in Nano-Fluid Flow and Heat Transfer through Porous Media, Shodh Sarita, 2020; 7 (28): 26-31.
- [31] Padhi SB and Mahato GK, Recent Advances in Nano-Fluid Flow and Heat Transfer: A Literature Survey, Shodh Sarita, 2020; 7 (28): 32-37.